

PCT/CA 2004/001527

01 NOVEMBER 2004 01-11-04

CA04/01527

REC'D 01 DEC 2004

WIPO

PCT

PA 1216645

# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

September 23, 2004

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.


APPLICATION NUMBER: 60/535,798

FILING DATE: *January 13, 2004*

## PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

By Authority of the  
COMMISSIONER OF PATENTS AND TRADEMARKS



*Trudie Wallace*  
TRUDIE WALLACE  
Certifying Officer

Best Available Copy

19587 U.S. PTO

PTO/SB/16 (08-03)

Approved for use through 07/31/2006. OMB 0651-0032  
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**PROVISIONAL APPLICATION FOR PATENT COVER SHEET**

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

Express Mail Label No.

19587 U.S. PTO  
60/535798



INVENTOR(S)					
Given Name (first and middle [if any])		Family Name or Surname		Residence (City and either State or Foreign Country)	
Wayne Darrin		Kirby Kirby		Brampton, Canada Caledon, Canada	
Additional inventors are being named on the _____ separately numbered sheets attached hereto					
TITLE OF THE INVENTION (500 characters max)					
COMBINATION PERSONAL CARE PRODUCTS AND AIR FRESHENERS					
Direct all correspondence to: CORRESPONDENCE ADDRESS					
<input type="checkbox"/> Customer Number: <span style="border: 1px solid black; display: inline-block; width: 200px; height: 30px; vertical-align: middle;"></span>					
OR					
<input checked="" type="checkbox"/> Firm or Individual Name		RIDOUT & MAYBEE LLP			
Address		One Queen Street East			
Address		Suite 2400			
City	Toronto	State	Ontario	Zip	M5C 3B1
Country	Canada	Telephone	416-868-1482	Fax	416-362-0823
ENCLOSED APPLICATION PARTS (check all that apply)					
<input checked="" type="checkbox"/> Specification Number of Pages		24		<input type="checkbox"/> CD(s), Number _____	
<input checked="" type="checkbox"/> Drawing(s) Number of Sheets		68		<input checked="" type="checkbox"/> Other (specify) Abstract	
<input type="checkbox"/> Application Date Sheet. See 37 CFR 1.76					
METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT					
<input checked="" type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27.				<div style="border: 1px solid black; padding: 5px; text-align: center;"> <b>FILING FEE Amount (\$)</b>  \$80.00         </div>	
<input type="checkbox"/> A check or money order is enclosed to cover the filing fees.					
<input checked="" type="checkbox"/> The Director is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number: 13-2400					
<input type="checkbox"/> Payment by credit card. Form PTO-2038 is attached.					
The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.					
<input checked="" type="checkbox"/> No.					
<input type="checkbox"/> Yes, the name of the U.S. Government agency and the Government contract number are: _____					

[Page 1 of 2]

Respectfully submitted,

SIGNATURE

TYPED or PRINTED NAME David J. Heller

TELEPHONE 416-865-3505

Date January 12, 2004

REGISTRATION NO. 43,384


(if appropriate)

Docket Number: 38716-0015

**USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT**

This collection of information is required by 37 CFR 1.51. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Provisional Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.


If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



RIDOUT & MAYBEE LLP

Barristers & Solicitors  
Technology Law

Patent & Trade-Mark Agents  
Intellectual Property Law



13281 U.S. PTO

January 12, 2004

**BY COURIER**

U.S. Patent and Trademark Office  
2011 South Clark Place  
Customer Window, Mail Stop Provisional Patent Application  
Crystal Plaza Two, Lobby, Room 1B03  
Arlington, Virginia 22202  
U.S.A.

Dear Sirs:

**Re: New U.S. Provisional Patent Application**  
**Title: COMBINATION PERSONAL CARE PRODUCTS**  
**AND AIR FRESHENERS**  
**Inventor: Wayne Kirby and Darrin Kirby**  
**Our File: 38716-0015**

Enclosed herewith is a provisional patent application for filing in the names of Wayne Kirby and Darrin Kirby.

We enclose the following documents:

Provisional Application for Patent Cover Sheet  
Specification – 24 Pages  
Abstract - 1 Page  
Drawings – 68 Pages (Figures 1 to 72 plus 44 pages of unnumbered figures)  
Fee - \$80.00 (by deposit account)

Please deduct the requisite fee in the amount of \$80.00 from our Deposit Account No. 13-2400. If any further fee is due, please also deduct it from our Deposit Account.

Yours very truly,

**WAYNE KIRBY AND DARRIN KIRBY**

By:

David J. Heller,

Reg. No. 43,384

Encls.

One Queen St. East  
Suite 2400, Toronto

Telephone 416.868.1482  
Facsimile 416.362.0823

Also in Ottawa and  
Mississauga

# **COMBINATION PERSONAL CARE PRODUCTS AND AIR FRESHENERS**

## **FIELD OF THE INVENTION**

**[0001]** This invention relates to personal care products and their containers and air fragrances.

## **BACKGROUND OF THE INVENTION**

**[0002]** US patent no. 5,799,826 to Brown teaches and claims an assembly having a first chamber containing soap and a second chamber containing air fragrance. There are at least two openings in the second chamber to allow the air fragrance to dispense through evaporation. The assembly is for mounting on a wall.

**[0003]** Many patents, including US patent nos. 5,065,875, 5,316,398, 5,135,116, 3,225,951, 4,235,343, 251,566, and 4,805,798 teach containers having an insert area for nesting a second container. However none of these patents teach or suggest inserting an air freshener into the insert area.

**[0004]** US patent nos. 2,204,784, and 544,219 teach containers having two separate chambers. However none of these patents teach or suggest inserting an air fragrance into one of the chambers.

**[0005]** US patent no. 5,350,058 teaches a container having two chambers. The bottom chamber has openings therein. However, there is no teaching or suggestion of using the container to hold either body care products or air fragrance.

**[0006]** UK patent application no. 2,230,957 teaches a combination air fragrance and decorative figure.

**[0007]** US patent no. 5,853,672 teaches a combination air fragrance and fan with an ornament and lights.

**[0008]** US patent no. 5,351,851 to Powell teaches a container having an insert area to receive an article therein, and a film covering the insert area and inserted article for



retaining the article in the indentation. Powell specifically claims that the film is clear over the indentation.

**[0009]**US patent no. 5,165,603 to Hahn teaches a fragrance-emitting skin-care product container that features a reservoir well arranged around the threads on a container mouth. The reservoir well contains a fragrance reservoir. A seal upon the lid of the container seals the reservoir well when the container is closed, thereby preventing contamination of the container contents by the fragrance and allowing for the release of fragrance when the container is opened.

**[0010]**PCT patent application publication no. WO02/20172 and US Patent Nos. 5,595,324 and 5,799,826 to Brown et al. describe a combination air freshener and hand lotion dispenser. The air freshener consists of a fragrance impregnated substance disposed within the dispenser mechanism. The dispenser mechanism includes a manual pump.

## **SUMMARY OF THE INVENTION**

**[0011]**In one aspect, the present invention provides a portable container having a chamber for holding a body care product selected from the group consisting of tissues, deodorants, baby wipes, baby creams and petroleum jelly. and second chamber for holding a room fragrance or room deodorizer. The first chamber has a means for dispensing the body care product. The second chamber has at least one opening. Normal movement of the container during dispensing of the body care product facilitates the release of fragrance into the surrounding air.

**[0012]**Thus, in one aspect the present invention teaches, in combination, a body care product bottle and an air fragrance, comprising a portable bottle having a first wall forming a first chamber for body care products, and a second chamber for air fragrance, the second chamber having at least one opening for release of the air fragrance. The air fragrance may be detachable from the second chamber.

**[0013]** The air fragrance may be contained in a container having at least one opening and the first wall is configured to receive the container. The first wall and the container may be configured to form an interference fit between the first chamber and the container or air fragrance. The first wall and the container or air fragrance may be configured to form a releasable interference fit between the container of air fragrance.

**[0014]** The first wall may be configured to form an indentation for receiving the container or air fragrance. The first wall may be configured to form a releasable interference fit between a bottom of the first wall and a top of the container. The container bottom may be configured to maintain the combination upright on a flat surface.

**[0015]** In an embodiment, the container has a plurality of openings. In another embodiment, the first chamber has a removable lid.

**[0016]** In a further aspect, the invention further teaches a bottle comprising: a) a bottom and at least one upstanding side wall to receive a body care product therein; b) the side wall converging to provide a closeable top; and c) an indentation formed in the side wall and directed inwardly of the bottle and configured to receive an air fragrance or air fragrance container therein. The indentation and the air fragrance or air fragrance container may be configured to have an interference fit between the indentation and the air fragrance container. The indentation and the air fragrance or air fragrance container may be configured to have a releasable interference fit between the indentation and the air fragrance container.

**[0017]** The invention further teaches a bottle comprising: a) a bottom and at least one upstanding side wall to receive a body care product therein; b) the side wall converging to provide a closeable top; c) an air fragrance container having a top and a second bottom; and d) the air fragrance container is attached to the bottom. The air fragrance container and bottle may be configured to have an interference fit between the bottom and the air fragrance container.

**[0018]** The bottom and the air fragrance container may be configured to have a releasable interference fit between the bottom and the air fragrance container. The second bottom may be configured to maintain the combination upright on a flat surface. The air fragrance container may have a plurality of openings. The bottle may have a hand pump dispenser mechanism.

**[0019]** In one aspect, the present invention provides, in combination, a baby wipe container and an air fragrance, comprising a portable container having a first wall forming a first chamber for baby wipes, and a second chamber for air fragrance, the second chamber having at least one opening for release of the air fragrance.

**[0020]** In another aspect, the present invention provides, in combination, a deodorant container and an air fragrance, comprising a portable container having a first wall forming a first chamber for receiving a deodorant stick, and a second chamber for air fragrance, the second chamber having at least one opening for release of the air fragrance.

**[0021]** In yet another aspect, the present invention provides, in combination, a tissue box holder and an air fragrance, comprising a portable container having a first wall forming a first chamber for a tissue box, and a second chamber for air fragrance, the second chamber having at least one opening for release of the air fragrance.

**[0022]** Other aspects and features of the present invention will be understood by those of ordinary skill in the art from a review of the following detailed description read in conjunction with the accompanying figures.

## **BRIEF DESCRIPTION OF THE DRAWINGS**

**[0023]** Reference will now be made, by way of example, to the accompanying drawings which show an embodiment of the present invention, and in which:

**[0024]** Figure 1 is an exploded side view of an embodiment of a product container and

air fragrance container according to the present invention;

**[0025]** Figure 2 is an exploded side view of a second embodiment of a product container and air fragrance container according to the present invention; and

**[0026]** Figure 3 is a side view of a third embodiment of a product container and air fragrance container according to the present invention.

**[0027]** Figure 4 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0028]** Figure 5 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

**[0029]** Figure 6 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0030]** Figure 7 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0031]** Figure 8 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

**[0032]** Figure 9 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0033]** Figure 10 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0034]** Figure 11 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

**[0035]** Figure 12 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0036]** Figure 13 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0037]** Figure 14 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

**[0038]** Figure 15 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0039]** Figure 16 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0040]** Figure 17 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

**[0041]** Figure 18 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0042]** Figure 19 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0043]** Figure 20 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

**[0044]** Figure 21 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0045]** Figure 22 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0046]** Figure 23 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

**[0047]** Figure 24 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0048]** Figure 25 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0049]** Figure 26 is an exploded front view of an embodiment of a product container and

air fragrance container according to the present invention;

**[0050]** Figure 27 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

**[0051]** Figure 28 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0052]** Figure 29 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0053]** Figure 30 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0054]** Figure 31 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0055]** Figure 32 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0056]** Figure 33 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0057]** Figure 34 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0058]** Figure 35 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0059]** Figure 36 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0060]** Figure 37 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0061]** Figure 38 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0062]** Figure 39 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0063]** Figure 40 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0064]** Figure 41 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0065]** Figure 42 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0066]** Figure 43 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0067]** Figure 44 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0068]** Figure 45 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0069]** Figure 46 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0070]** Figure 47 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0071]** Figure 48 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0072]** Figure 49 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0073]** Figure 50 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0074]** Figure 51 is a top view of an embodiment of a product container and air

fragrance container according to the present invention.

**[0075]** Figure 52 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0076]** Figure 53 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0077]** Figure 54 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0078]** Figure 55 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0079]** Figure 56 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0080]** Figure 57 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0081]** Figure 58 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0082]** Figure 59 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0083]** Figure 60 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0084]** Figure 61 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0085]** Figure 62 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0086]** Figure 63 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;



**[0087]** Figure 64 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0088]** Figure 65 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0089]** Figure 66 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

**[0090]** Figure 67 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

**[0091]** Figure 68 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0092]** Figure 69 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

**[0093]** Figure 70 is a front view of an embodiment of a lid of a product container according to the present invention;

**[0094]** Figure 71 is a bottom internal view of the embodiment of Figure 70;

**[0095]** Figure 72 is a side view of an embodiment of a product container and air fragrance container according to the present invention.

**[0096]** Figure 73 is an exploded side view of an embodiment of a product container and air fragrance portion according to the present invention;

**[0097]** Similar reference numerals are used in different figures to denote similar components.

## **DESCRIPTION OF SPECIFIC EMBODIMENTS**

**[0098]** The present invention teaches a portable combination personal care product container and air fragrance. The present invention has the benefit of being portable. It

also has the benefit of being simpler in design and construction, thus less expensive, than teachings of the prior art. In use, the present invention provides further benefits over the prior art, including the fact that the normal movement of the container during dispensing of the body care product will facilitate the release of fragrance into the surrounding air. The use of air fresheners combined with particular personal care products selected herein provides a synergy and benefits not taught, suggested, or realized by the prior art. In one embodiment, the invention concerns combining a body deodorant or anti-perspirant with an air freshener, so that the air freshener can mask or neutralize odors in the area surrounding where body deodorants are used and stored, for example, hockey equipment bags, sports bags, gym lockers, suit cases, medicine cabinets and the like.

**[0099]** In one embodiment, a container of either cylindrical or rectangular or other geometric or sculptural configuration, of a plastic, formable material is provided. An indentation or depressed area is provided in a sidewall thereof. The area may be substantially flat or may be arranged at an angle to the sidewall, bottom, or top thereof, and similarly, the sides and top of such area may be at right angles to the sidewall of the container or may be angularly arranged thereto. This indented or depressed area may take a multitude of forms. In one embodiment, this area would not extend entirely across the container.

**[00100]** The present invention is applicable to any type of container suitable for the particular personal care products discussed herein and for the purposes and ease of illustration it has been illustrated on containers of various configurations. The concept could be applied to other articles such as the wide rim capped bowls, tubs, tubes, boxes, sticks, or other containers which are manufactured for various usages but which also are utilized for the initial sales of various personal care products. Therefore, the term container may appear within this application and is used as a generic definition rather than a limiting definition.

**[00101]** The fragrance area is configured to receive an air fragrance. The air

fragrance may be a solid type air fragrance, or it may be a solid or liquid air fragrance inside a container. If a fragrance container is used, the air fragrance container must have at least one opening to allow dissemination of the air fragrance. Alternatively, the air fragrance can be in the form of a scented container, for example, where the container or a portion of the container, such as the cap, is formed with fragrant polymer beads.

**[00102]** Figure 1 shows a side view of an embodiment of the present invention that includes a tub container 110 for holding a personal care product, which includes baby wipes. The tub container 110 is roughly rectangular in shape, having a substantially flat bottom surface 111 attached to at least one side wall 112 extending upwardly therefrom to define the open top mouth of the tub container 110. An associated dispensing lid 140 is adapted to snap fit over the open top mouth of the tub container 110 to seal the contents and provide for the dispensing of individual baby wipes through a dispensing mechanism (not shown) incorporated into the dispensing lid 140. The side wall 112 includes a slightly inset portion adjacent the bottom surface 111. The inset portion of the side wall 112 includes one or more outwardly extending protrusions 122.

**[00103]** An air freshener dispenser 120 is adapted to fit over the inset portion of the side wall 112 and snap-fit onto the bottom surface 111 through cooperation with the outwardly extending protrusions 122. The air freshener dispenser 120 includes an upstanding perimeter wall 126 at its top end extending around the top circumference of the air freshener dispenser 120 and having inner dimensions slightly larger than the dimensions of the inset portion of the side wall 112. The upstanding perimeter wall 126 may include indentations (not shown) on its inner surface into which the protrusions 122 are adapted to fit. It will be understood that other interference fit mechanisms may be employed to detachably affix the air freshener dispenser 120 to the tub container 110 other than the protrusions 122.

**[00104]** When attached to the tub container 110, the air freshener dispenser 120

serves as a supporting bottom surface for the tub container 110. The air freshener dispenser 120 may advantageously be detached and replaced as needed. The air freshener dispenser 120 includes a plurality of apertures 124 in its side walls so as to dispense the air fragrance it contains.

**[00105]** Shrink wrap or film typically covers the aperture 124 prior to opening by the customer. Advantageously, the present combination provides for passive release of air fragrance after opening by the consumer for mildly scenting a diaper changing area. During a diaper change, when the container is in use, it is jostled, thus emitting an increased quantity of scent at a time that it is particularly required.

**[00106]** Reference is now made to Figure 2, which shows a combination deodorant stick 210 and air freshener 220. The deodorant stick includes a dispensing container 212 having a mouth 213 and in which a solid deodorant product 216 is disposed. In known manner, the solid deodorant product 216 is formed around a screw mechanism (not shown) that is coupled to a dispensing wheel 214 for extending and retracting the solid deodorant product 216 relative to the mouth 213 of the dispensing container 212. In other embodiments, not shown, other deodorant dispensers could be used, for example, pushing the deodorant up with a finger, or a hydraulic or air pushing mechanism.

**[00107]** The deodorant stick 210 includes a cap 218 designed to friction fit onto the mouth 213 of the dispensing container 212 to seal the deodorant product 216. In other embodiments, the cap may be fit onto the mouth by means of threads, snaps, or dimples and bumps. The air freshener 220 is incorporated into the cap 218. The cap 218 includes at least one side wall 222 and an inner partition wall 226 (shown in phantom) dividing the interior of the cap 218 into two cavities. The first inner cavity is open to the mouth of the cap 218 and accommodates the dispensing container 212 when the cap 218 is on. The second inner cavity is closed by the side wall 222 and inner partition wall 226 and contains the air freshener 220. A portion of the side wall 222 forming the second cavity includes a plurality of apertures 224 in communication

with the interior of the cavity so as to provide for dispensing of the air fragrance from the air freshener 220.

**[00108]** Advantageously, the combination deodorant stick 210 and air freshener 220 provides for both an active dispensing of air fragrance when the deodorant stick 210 is jostled while in use and for a passive dispensing of air fragrance, since the apertures are typically not sealed while the deodorant stick 210 is not in use. This passive dispensing aspect provides particular advantages to the deodorant stick 210 when used by amateur or professional athletes or in connection with any exercise activities. The deodorant stick 210 may be placed within a gym bag, hockey bag, or other sports equipment bag or a locker in which a user may store a deodorant stick 210 and the air freshener will assist in disguising the odor associated with work-out or sports apparel. During use of the gym bag or the like, the container is jostled, thus inducing a greater amount of scent to be released at a time when the gym bag or the like is being opened and used.

**[00109]** Reference is now made to Figure 3, which shows a combination tissue box holder 310 and air freshener 320. The tissue box holder 310 includes a bottom surface 318 and at least one side wall 312 extending upwards from the bottom surface 318. The side wall 312 defines a mouth opening 314 at its upper end to allow for insertion of a typical cardboard tissue box containing a plurality of tissues 316. The tissue box holder 310 typically includes aesthetic design elements and is used to improve the appearance of conventional cardboard tissue boxes.

**[00110]** The air freshener 320 is incorporated into the tissue box holder 310. The side wall 312 includes a plurality of apertures 324 providing communication with the air freshener 320 contained within the tissue box holder 310. Advantageously, the present combination provides for passive release of air fragrance after opening by the consumer for mildly scenting an area. During use of the tissue box, the tissue box holder 310 is jostled, thus inducing a greater amount of scent to be released at a time when the tissue box is in use.

**[00111]** With reference to any of the embodiments described above, it will be understood that many containers are formed through the blow molding process and such process would be applicable to the applicant's device in the form shown but the units could also be formed through injection molding techniques wherein individual sections of the bottle or container are molded and thereafter joined. The applicant has thus provided a new and unique container modification which provides the container with a dual compartment area wherein the compartments are separated and utilized for complimentary uses. With the applicant's invention free access is available for refills and replacements of either or both air fragrance and personal care product.

**[00112]** An aspect of the invention is the coordination of the volume of the supply of personal care product and the supply of air fragrance to ensure that the supply of air fragrance is sufficient to continue freshening the air the entire period the body care product is available in the container.

**[00113]** Another beneficial aspect of the present invention is that the fragrance is dispensed in greater amounts upon use of the container, rather than continuously or at regular intervals. This also increases the efficiency of the system by minimizing the quantity of fragrance needed. Another benefit associated with the dual personal care product and air fragrance dispenser described herein is the complete elimination of a separate fragrance dispenser. The personal body care product and air fragrance dispenser costs somewhere between the cost of a typical dispenser alone and the cost of a dispenser and a fragrance dispenser combined. In conjunction with the automatic fragrance replacement feature of the present dispenser, this cost savings is highly attractive.

**[00114]** The air fragrance may be in the form of a solid stick. The air fragrance in the container is generally described as an odorless carrier with a particular concentration of fragrance therein. Typical air fresheners of this composition utilize a concentration of fragrance of between 5-50%, and sometimes as low as 3%. Most brands of air freshener of this type are between 10-25% concentration of fragrance,

however. In an embodiment, the air fragrance comprises 30% fragrance and 70% odorless mineral spirit carrier, such as manufactured under the trade name ISOPAR K™, manufactured by Exxon Corp. Although many types of fragrance are possible, one fragrance is a mild high lift fragrance manufactured by International Fragrances, Inc. of Houston, Tex., and may be fragrance No. FG 9798. When using liquid fragrances, to prevent the relatively volatile carrier in air fragrance from spilling from the container a polyester matrix may be provided therein, and the fragrance and carrier saturated within the matrix. As used herein, air fragrance includes air deodorizers, air purifiers, air fresheners, air neutralizers, air disinfectants, air absorbers, odor erasers, odor neutralizers, odor purifiers, odor fresheners, and odor absorbers. A static air freshener could be any air driven or mechanically driven air freshener spray. A static air freshener could be any porous medium such as wood, stone, polymers, plastics, to hold a fragrance while allowing a slow release when exposed to air of a fragrant liquid, cream, gel or solid.

**[00115]** In another embodiment, the air fragrance may be an aerosol or pump spray. In another embodiment, the air fragrance may be a combination aerosol or pump spray with a static air fragrance, for example a stick or liquid form. Thus, in use, the static fragrance is released as described above, while the activated pump or aerosol is activated as more fragrance is desired. In other embodiments, the air fragrance portion could be located on the bottom, top or sides of the body care container. The air freshener can be attached by various means, including adhesives, shrink bands and shrink wraps. In other embodiments, the air fragrance portion is attached by means including a clipping device or a screwing device. The air freshener could be in the over-cap on the top of the container or it could be on the sides or bottom, attached by friction, snap or other locking fit, by adhesive or other fastening devices, by screw fit, interference fit or other known closures.

**[00116]** Examples of embodiments of the invention, namely deodorants or anti-perspirants, either stick (e.g. baton) or spray (e.g. aerosol) utilizing adhesive to affix the

fragrance portion 401 to the deodorant or antiperspirant container are shown in Figures 4 to 6 and Figures 29 to 33. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container.

**[00117]** In other embodiments, containers such as deodorants or anti-perspirants, utilize clips 410 to affix the fragrance portion 401 to the deodorant or antiperspirant container. Examples are shown in Figures 7 to 9 and Figures 34 to 38. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container.

**[00118]** In other embodiments, containers such as deodorants or anti-perspirants, utilize elastics 412 to affix the fragrance portion 401 to the deodorant or antiperspirant container. Examples are shown in Figures 10 to 12 and Figures 39 to 43. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container.

**[00119]** In other embodiments, containers such as deodorants or anti-perspirants, utilize a friction fit between the fragrance portion 401 and a fit groove 414 to affix the fragrance portion 401 to the deodorant or antiperspirant container. Examples are shown in Figures 13 to 15 and Figures 44 to 48. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container.

**[00120]** In other embodiments, containers such as deodorants or anti-perspirants, utilize pins 416 to affix the fragrance portion 401 to the deodorant or antiperspirant container. Examples are shown in Figures 16 to 18 and Figures 49 to 53. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container.

**[00121]** In other embodiments, containers such as deodorants or anti-perspirants, utilize a slot 418 into which a fragrance portion 401 is inserted to affix the fragrance



portion 401 to the deodorant or antiperspirant container. Examples are shown in Figures 19 to 21 and Figures 60 to 64. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container.

**[00122]** In other embodiments, containers such as deodorants or anti-perspirants, utilize snaps 420 to affix the fragrance portion 401 to the deodorant or antiperspirant container. Examples are shown in Figures 22 to 24 and Figures 65 to 69. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container.

**[00123]** In other embodiments, containers such as deodorants or anti-perspirants, utilize a screw on air freshener 422 to affix the fragrance portion to the deodorant or antiperspirant container. Examples are shown in Figures 25 and 54.

**[00124]** In other embodiments, containers such as deodorants or anti-perspirants, utilize shrink wrap 424 to affix the fragrance portion 401 to the deodorant or antiperspirant container. Examples are shown in Figures 26 to 28 and Figures 55 to 59. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container. In another embodiment, not shown, the fragrance portion is inserted into a hollow or indent on the bottom or top of the deodorant or antiperspirant container.

**[00125]** In other embodiments, containers such as deodorants or anti-perspirants, utilize a cap 501 containing the fragrance 502 and having holes 503 through the cap to allow the fragrance to disseminate into the surrounding air. Examples are shown in Figures 70 and 71.

**[00126]** In another embodiment, a razor may be combined with the fragrance portion in manners similar to those discussed with respect to deodorant containers. For example, the plastic handle of the razor may be made with fragrant polymers, or a fragrance portion may be incorporated into or onto the handle of the razor.

**[00127]** In another embodiment, shown in Figure 73, container 512 containing a deodorants or anti-perspirant, is attached to a container 514 which dispenses an air freshener. The two containers may be attached to each other by means of, for example, string, elastic, a living hinge, wire, or the like.

**[00128]** In other embodiments, shown in Figure 74, containers such as baby wipes containers have a fragrance portion 520 attached to the body 518 or lid 522 of the container. Examples are shown in Figure 74. As shown, the fragrance portion 520 can be affixed to either the side or top of the container. The air fragrance portion may be secured onto the container by any means known in the art, such as screwing, hooks, pins, elastics, slots, snaps, clips, adhesives, slots, shrink wrap, friction fits, pins, or the like.

**[00129]** The present invention may be embodied in other specific forms without departing from the spirit or essential characteristics thereof. Certain adaptations and modifications of the invention will be obvious to those skilled in the art. Therefore, the above discussed embodiments are considered to be illustrative and not restrictive, the scope of the invention being indicated by the appended claims rather than the foregoing description, and all changes which come within the meaning and range of equivalency of the claims are therefore intended to be embraced therein.

**WHAT IS CLAIMED IS:**

1. In combination, an air fragrance and a container for a baby care product, comprising a portable container having a first wall forming a first chamber for a baby care product selected from the group consisting of baby wipes, baby creams and petroleum jelly, baby wipes, and a second chamber for air fragrance, said second chamber having at least one opening for release of said air fragrance.
2. The combination as claimed in claim 1, wherein said air fragrance is detachable from said second chamber.
3. The combination as claimed in claim 2, wherein said air fragrance is contained in a container having at least one opening and said first wall is configured to receive said container.
4. The combination as claimed in claim 3, wherein said first wall and said container are configured to form an interference fit between said first chamber and said container.
5. The combination as claimed in claim 4, wherein said first wall and said container or air fragrance are configured to form a releasable interference fit between said container.
6. The combination as claimed in any one of claims 3 to 5, wherein said first wall is configured to form an indentation for receiving said container.
7. The combination as claimed in any one of claims 3 to 5, wherein said first wall is configured to form a releasable interference fit between a bottom of said first wall and a top of said container.

8. The combination as claimed in claim 7, wherein said container has a container bottom configured to maintain said combination upright on a flat surface.
9. The combination as claimed in any one of claims 1 to 8, wherein said container has a plurality of said openings.
10. The combination as claimed in any one of claims 1 to 9, wherein said first chamber has a removable lid.
11. In combination, a deodorant or antiperspirant container and an air fragrance, comprising a portable container having a first wall forming a first chamber for receiving a deodorant, and a second chamber for air fragrance, said second chamber having at least one opening for release of said air fragrance.
12. The combination as claimed in claim 11, wherein said air fragrance is detachable from said second chamber.
13. The combination as claimed in claim 12, wherein said air fragrance is contained in a container having at least one opening and said first wall is configured to receive said container.
14. The combination as claimed in claim 13, wherein said first wall and said container are configured to form an interference fit between said first chamber and said container.
15. The combination as claimed in claim 14, wherein said first wall and said container or air fragrance are configured to form a releasable interference fit between said container.

16. The combination as claimed in any one of claims 13 to 15, wherein said first wall is configured to form an indentation for receiving said container.
17. The combination as claimed in claim 11, wherein said container is a lid for capping a deodorant stick dispenser.
18. The combination as claimed in any one of claims 11 to 17, wherein said container has a plurality of said openings.
19. The combination as claimed in any one of claims 11 to 18, wherein said chamber has a removable lid.
20. In combination, a tissue box holder and an air fragrance, comprising a portable container having a first wall forming a first chamber for a tissue box, and a second chamber for air fragrance, said second chamber having at least one opening for release of said air fragrance.
21. The combination as claimed in claim 20, wherein said air fragrance is detachable from said second chamber.
22. The combination as claimed in claim 21, wherein said air fragrance is contained in a container having at least one opening and said first wall is configured to receive said container.
23. The combination as claimed in claim 22, wherein said first wall and said container are configured to form an interference fit between said first chamber and said container.

24. In combination, an air fragrance and a container for a baby care product, comprising a portable container having a first wall forming a first chamber for a baby care product selected from the group consisting of baby wipes, baby creams and petroleum jelly, baby wipes, and an for air fragrance portion, said air fragrance portion configured to release said air fragrance.
25. The combination as claimed in claim 24, wherein said air fragrance portion is detachable from said first chamber.
26. The combination as claimed in claim 24, wherein said first wall and said container are configured to form an interference fit between said first chamber and said air fragrance portion.
27. In combination, a deodorant or antiperspirant container and an air fragrance, comprising a portable container having a first wall forming a first chamber for receiving a deodorant stick, and an air fragrance portion for air fragrance.
28. The combination as claimed in claim 27, wherein said air fragrance portion is detachable from said first chamber.
29. The combination as claimed in claim 27, wherein said first wall and said air fragrance portion are configured to form an interference fit between said first chamber and said air fragrance portion.
30. The combination as claimed in any one of claims 27 to 29, wherein said first wall is configured to form an indentation for receiving said air fragrance portion.
31. The combination as claimed in claim 27, wherein said air fragrance portion is affixed to a lid for capping a deodorant or antiperspirant.

32. The combination as claimed in any one of claims 27 to 31, wherein said air fragrance portion has a removable cover.
33. The combination as claimed in any one of claims 27 to 31, wherein said air fragrance portion is attached to said container by a device selected from the group consisting of an adhesive, a clip, an elastic an interference fit, a pin, a slot, a snap and a screw.
34. In combination, a deodorant or antiperspirant container and an air fragrance, comprising a portable container for receiving a deodorant or antiperspirant, said container comprising a fragrant polymer.
35. In combination, an air fragrance and a container for a baby care product, comprising a portable container for a baby care product selected from the group consisting of baby wipes, baby creams and petroleum jelly, baby wipes, said container comprising a fragrant polymer.

## **ABSTRACT**

Personal care products with air fresheners incorporated, including a combination baby wipes product and air freshener, a combination deodorant or antiperspirant container and air fragrance, and a combination tissue box holder and air fragrance are taught.



This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## **IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

# **BABY WIPES WITH AIR FRESHENER (ROOM DEODORIZER)**




FIG. 1

# DEODORANT WITH AIR FRESHENER (GYM BAG DEODORIZER)




FIG. 2

TISSUE BOX WITH AIR FRESHENER (ROOM DEODORIZER)





FIG. 3.

#1 - AIR FRESHENER ATTACHED TO CAP WITH ADHESIVE  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW



#2 - AIR FRESHENER ATTACHED TO DISPENSER WITH ADHESIVE  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW





FIG. 6




FIG. 4




FIG. 5

ATTACHED MECHANICALLY BY HAVING THE AIR FRESHENER

#1- AIR FRESHENER ATTACHED TO CAP USING CLIPS  
FRONT VIEW, BACK VIEW OR SIDE VIEW





FIG. 7

#2 - AIR FRESHENER ATTACHED TO DISPENSER USING CLIPS  
FRONT VIEW, BACK VIEW OR SIDE VIEW





FIG. 8

#3 - AIR FRESHENER ATTACHED TO CAP USING CLIPS TOP VIEW





FIG. 9


**- ATTACHED MECHANICALLY BY HAVING THE AIR FRESHENER HELD ON WITH AN ELASTIC TO THE CAP**

**#2 - AIR FRESHENER ATTACHED TO DISPENSER USING CLIPS TO FRONT VIEW, BACK VIEW OR SIDE VIEW**




**FIG. 11**

**#1 - AIR FRESHENER ATTACHED TO CAP USING ELASTIC TO FRONT VIEW, BACK VIEW OR SIDE VIEW**




**FIG. 10**

**#3 - AIR FRESHENER ATTACHED TO CAP USING ELASTIC TOP VIEW**




**FIG. 12**

#2 - AIR FRESHENER ATTACHED TO DISPENSER WITH FRICTION FIT  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW




AIR FRESHENER ATTACHED WITH FRICTION FIT  
401  
DEODORANT CAP  
404

#1 - AIR FRESHENER ATTACHED TO CAP WITH FRICTION FIT  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW




DEODORANT DISPENSER  
407



DEODORANT DISPENSER  
407  
AIR FRESHENER ATTACHED WITH FRICTION FIT

#3 - AIR FRESHENER ATTACHED TO CAP WITH FRICTION FIT TOP VIEW



DEODORANT CAP  
404


FIG. 15

FIG. 14


FIG. 13




#1 - AIR FRESHENER ATTACHED TO CAP WITH PINS  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW



#2 - AIR FRESHENER ATTACHED TO DISPENSER WITH PINS  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW



DEODORANT CAP 404



DEODORANT DISPENSER 407

Fig 16

#3 - AIR FRESHENER ATTACHED TO CAP WITH PINS  
TOP VIEW




Fig 18






Fig. 17

.. ATTACHED MECHANICALLY BY HAVING THE AIR FRESHENER SLIDE INTO A SLOT.

#2 - AIR FRESHENER ATTACHED TO DISPENSER USING A SLOT  
FRONT VIEW, BACK VIEW OR SIDE VIEW



#1 - AIR FRESHENER ATTACHED TO CAP USING A SLOT  
FRONT VIEW, BACK VIEW OR SIDE VIEW



#3 - AIR FRESHENER ATTACHED TO CAP USING A SLOT TOP VIEW




Fig. 21

Fig. 20

Fig. 19

#2 - AIR FRESHENER ATTACHED TO DISPENSER WITH SNAPS  
FRONT VIEW, BACK VIEW OR SIDE VIEW




FIG. 23

#1 - AIR FRESHENER ATTACHED TO CAP WITH SNAPS  
FRONT VIEW, BACK VIEW OR SIDE VIEW




FIG. 22

#3 - AIR FRESHENER ATTACHED TO CAP WITH SNAPS  
TOP VIEW





FIG. 24

- ATTACHED MECHANICALLY BY SCREWING IT ON TO THE BOTTOM OF THE DISPENSER



- ATTACHED WITH SHRINK WRAP

- #1- AIR FRESHENER ATTACHED TO CAP WITH SHRINK WRAP FRONT VIEW, BACK VIEW OR SIDE VIEW
- #2 - AIR FRESHENER ATTACHED TO DISPENSER WITH SHRINK WRAP FRONT VIEW, BACK VIEW OR SIDE VIEW





FIG. 27

FIG. 26


FIG. 28

# DEODORANT / AIR FRESHENER ATTACHED TO CAP WITH ADHESIVE TOP VIEW

#1 - AIR FRESHENER ATTACHED TO CAP WITH ADHESIVE FRONT OR BACK VIEW



#2 - AIR FRESHENER ATTACHED TO DISPENSER WITH ADHESIVE FRONT OR BACK VIEW



#3 - AIR FRESHENER ATTACHED TO CAP WITH ADHESIVE TOP VIEW



#4 - AIR FRESHENER ATTACHED TO CAP WITH ADHESIVE WITH ADHESIVE SIDE VIEW





FIG. 29




FIG. 30




FIG. 32






FIG. 33

- ATTACHED MECHANICALLY BY HAVING THE AIR FRESHENER CLIP ON TO THE

#1 - AIR FRESHENER ATTACHED TO CAP USING CLIPS FRONT OR BACK VIEW



#2 - AIR FRESHENER ATTACHED TO DISPENSER USING CLIPS FRONT OR BACK VIEW



#3 - AIR FRESHENER ATTACHED TO CAP USING CLIPS TOP VIEW



FIG. 36

#4 - AIR FRESHENER ATTACHED TO CAP USING CLIPS FIT SIDE VIEW





FIG. 35




FIG. 34





FIG. 37


FIG. 38

ATTACHED MECHANICALLY BY HAVING THE AIR FRESHENER HELD ON

#1 - AIR FRESHENER ATTACHED TO CAP USING ELASTIC FRONT OR BACK VIEW



#2 - AIR FRESHENER ATTACHED TO DISPENSER USING CLIPS FRONT OR BACK VIEW



#3 - AIR FRESHENER ATTACHED TO CAP USING ELASTIC TOP VIEW



FIG. 41

#4 - AIR FRESHENER ATTACHED TO CAP USING ELASTIC FIT SIDE VIEW





FIG. 40




FIG. 39

DEODORANT DISPENSER 401

412

401

412

401

AIR FRESHENER ATTACHED USING ELASTIC


FIG. 43

FIG. 42




- ATTACHED MECHANICALLY USING IN EITHER A DEPRESSION OR RAISED MODE

#1 - AIR FRESHENER ATTACHED TO CAP WITH FRICTION FIT FRONT OR BACK VIEW



#2 - AIR FRESHENER ATTACHED TO DISPENSER WITH FRICTION FIT FRONT OR BACK VIEW



#3 - AIR FRESHENER ATTACHED TO CAP WITH FRICTION FIT TOP VIEW



FIG. 46

#4 - AIR FRESHENER ATTACHED TO CAP WITH FRICTION FIT SIDE VIEW





FIG. 44




FIG. 45




FIG. 48






FIG. 47

**#1 - AIR FRESHENER ATTACHED  
TO CAP WITH PINS  
FRONT OR BACK VIEW**



**FRONT OR BACK VIEW**

**#2 - AIR FRESHENER ATTACHED  
TO DISPENSER WITH PINS  
FRONT OR BACK VIEW**




401-416  
AIR FRESHENER  
- ATTACHED WITH  
PINS

**#3 - AIR FRESHENER ATTACHED  
TO CAP WITH PINS TOP VIEW**



FIG. 51

Fla. 31  
#4 - AIR FRESHENER ATTACHED TO CAP WITH PINS  
#5 - AIR FRESHENER ATTACHED TO DISPENSER  
WITH PINS SIDE VIEW  
SIDE VIEW



f16 53




FIG. 50

Fig. 49

- ATTACHED MECHANICALLY BY SCREWING IT ON TO THE BOTTOM OF THE DISPENSER






FIG. 54


# DEODORANT / AIR FRESHENER ATTACHED TO CAP WITH SHRINK WRAP TOP VIEW



## #1 - AIR FRESHENER ATTACHED TO CAP WITH SHRINK WRAP FRONT OR BACK VIEW



## #2 - AIR FRESHENER ATTACHED TO DISPENSER WITH SHRINK WRAP FRONT OR BACK VIEW



## #3 - AIR FRESHENER ATTACHED TO CAP WITH SHRINK WRAP TOP VIEW




FIG. 56

FIG. 55

## #4 - AIR FRESHENER ATTACHED TO CAP WITH SHRINK WRAP SIDE VIEW




FIG. 59

## #5 - AIR FRESHENER ATTACHED TO DISPENSER WITH SHRINK WRAP SIDE VIEW





FIG. 58

- ATTACHED MECHANICALLY BY HAVING THE AIR FRESHENER SLIDE INTO

#1 - AIR FRESHENER ATTACHED TO CAP USING A SLOT FRONT OR BACK VIEW



#2 - AIR FRESHENER ATTACHED TO DISPENSER USING A SLOT FRONT OR BACK VIEW





FIG. 60




FIG. 61

FIG. 62

#4 - AIR FRESHENER ATTACHED TO CAP USING A SLOT SIDE VIEW






FIG. 63

#3 - AIR FRESHENER ATTACHED TO CAP USING A SLOT TOP VIEW



#5 - AIR FRESHENER ATTACHED TO DISPENSER USING A SLOT SIDE VIEW





FIG. 64






Fig. 70




Fig. 71




FIG. 72







Fig. 73

# AIR FRESHENER ATTACHED TO THE INSIDE OF THE CAP

## EXTERNAL CAP VIEW




ALL DISPENSING CAPS WITH AIR FRESHENERS ATTACHED TO THE INSIDE OF THE CAP WILL BE EQUIPPED WITH DISPENSING VENTS TO RELEASE THE FRAGRANCE




1- Air Freshener attached to the inside of the cap using clips

### INTERNAL SIDE VIEW




### INTERNAL BOTTOM VIEW




2- Air Freshener attached to the inside of the cap using pin/pins or adhesive tape/label to the top wall of cap

### INTERNAL SIDE VIEW




### INTERNAL BOTTOM VIEW




3- Air Freshener attached to the inside of the cap using a friction fit or slots

### INTERNAL SIDE VIEW




### INTERNAL BOTTOM VIEW




4- Air Freshener attached to the inside of the cap using pin/pins or adhesive tape/label to the side wall of cap

### INTERNAL SIDE VIEW




### INTERNAL BOTTOM VIEW




## DEODORANT WITH AIR FRESHENER (GYM BAG DEODORIZER)

Air Freshener Inside the Cap with Dispensing holes




## DEODORANT WITH AIR FRESHENER (GYM BAG DEODORIZER)

Air Freshener Embedded in the Cap, Body and/or Bottom of Deodorant Container which is made of Fragranced Polymer Beads





## DEODORANT WITH AIR FRESHENER (GYM BAG DEODORIZER)

Air Freshener attached in a hanging method to the container




## DEODORANT WITH AIR FRESHENER (GYM BAG DEODORIZER)


AIR FRESHNER ATTACHED TO  
THE BOTTOM OF THE DEODERANT  
BY BEUNG PLACED IN  
BOTTOM CAVITY




#3 - AIR FRESHENER ATTACHED TO CAP WITH ADHESIVE TOP VIEW




#2 - AIR FRESHENER ATTACHED TO DISPENSER WITH ADHESIVE FRONT OR BACK VIEW



#1 - AIR FRESHENER ATTACHED TO CAP WITH ADHESIVE FRONT OR BACK VIEW





#4 - AIR FRESHENER ATTACHED TO CAP WITH ADHESIVE SIDE VIEW WITH ADHESIVE SIDE VIEW




DEODORANT DISPENSER


AIR FRESHENER




**#1 - AIR FRESHENER ATTACHED TO CAP WITH FRICTION FIT FRONT OR BACK VIEW**






**#2 - AIR FRESHENER ATTACHED TO DISPENSER WITH FRICTION FIT FRONT OR BACK VIEW**



**#3 - AIR FRESHENER ATTACHED TO CAP WITH FRICTION FIT TOP VIEW**



**#4 - AIR FRESHENER ATTACHED TO CAP WITH FRICTION FIT SIDE VIEW**




**DEODORANT DISPENSER**

**AIR FRESHENER ATTACHED WITH FRICTION FIT**


**DEODORANT DISPENSING WHEEL**




#1 - AIR FRESHENER ATTACHED TO CAP USING ELASTIC FRONT OR BACK VIEW






#2 - AIR FRESHENER ATTACHED TO DISPENSER USING CLIPS FRONT OR BACK VIEW









#3 - AIR FRESHENER ATTACHED TO CAP USING ELASTIC TOP VIEW




#4 - AIR FRESHENER ATTACHED TO CAP USING ELASTIC FIT SIDE VIEW USING ELASTIC SIDE VIEW




#5 - AIR FRESHENER ATTACHED TO CAP USING ELASTIC ATTACHED TO DISPENSER USING ELASTIC



#1- AIR FRESHENER ATTACHED TO CAP WITH SHRINK WRAP FRONT OR BACK VIEW



#2 - AIR FRESHENER ATTACHED TO DISPENSER WITH SHRINK WRAP FRONT OR BACK VIEW



AIR FRESHENER

SHRINK WRAP FILM

DEODORANT CAP


DEODORANT DISPENSER

AIR FRESHENER

SHRINK WRAP FILM

DEODORANT DISPENSING WHEEL

#3 - AIR FRESHENER ATTACHED TO CAP WITH SHRINK WRAP TOP VIEW




AIR FRESHENER

SHRINK WRAP FILM

DEODORANT CAP

#4 - AIR FRESHENER ATTACHED TO CAP WITH SHRINK WRAP SIDE VIEW



AIR FRESHENER


SHRINK WRAP FILM

DEODORANT CAP

DEODORANT DISPENSER

AIR FRESHENER



SHRINK WRAP FILM





#3 - AIR FRESHENER ATTACHED TO CAP WITH SNAPS TOP VIEW





#4 - AIR FRESHENER ATTACHED TO CAP WITH SNAPS ATTACHED TO DISPENSER WITH SNAPS SIDE VIEW



#2 - AIR FRESHENER ATTACHED TO DISPENSER WITH SNAPS FRONT OR BACK VIEW





#1 - AIR FRESHENER ATTACHED TO CAP WITH SNAPS FRONT OR BACK VIEW





#3 - AIR FRESHENER ATTACHED TO CAP USING A SLOT TOP VIEW





#4 - AIR FRESHENER ATTACHED TO CAP USING A SLOT SIDE VIEW



#2 - AIR FRESHENER ATTACHED TO DISPENSER USING A SLOT FRONT OR BACK VIEW



#1 - AIR FRESHENER ATTACHED TO CAP USING A SLOT FRONT OR BACK VIEW





DEODORANT DISPENSING WHEEL



#3 - AIR FRESHENER ATTACHED TO CAP WITH PINS TOP VIEW





#4 - AIR FRESHENER ATTACHED TO CAP WITH PINS SIDE VIEW WITH PINS SIDE VIEW




#2 - AIR FRESHENER ATTACHED TO DISPENSER WITH PINS FRONT OR BACK VIEW




#1 - AIR FRESHENER ATTACHED TO CAP WITH PINS FRONT OR BACK VIEW




DEODORANT DISPENSING WHEEL



CAP




DEODORANT  
DISPENSER




AIR FRESHENER  
SCREWED  
ON TO THE BOTTOM  
OF DISPENSER


#2 - AIR FRESHENER ATTACHED  
TO DISPENSER USING A SLOT  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW




#1 - AIR FRESHENER ATTACHED  
TO CAP USING A SLOT  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW



#3 - AIR FRESHENER ATTACHED  
TO CAP USING A SLOT TOP VIEW





Air Freshener Inside the Cap with Dispensing holes or with a cap made of Fragranced Polymer Beads






1 - AIR FRESHENER ATTACHED  
TO CAP USING ELASTIC  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW



AIR FRESHENER  
ELASTIC  
DEODORANT CAP

#2 - AIR FRESHENER ATTACHED  
TO DISPENSER USING ELASTIC  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW




DEODORANT  
DISPENSER

AIR FRESHENER

ELASTIC


#3 - AIR FRESHENER ATTACHED  
TO CAP USING ELASTIC TOP VIEW




DEODORANT  
CAP

ELASTIC




**#1- AIR FRESHENER ATTACHED  
TO CAP USING CLIPS  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW**




**#3 - AIR FRESHENER ATTACHED  
TO CAP USING CLIPS TOP VIEW**




#1- AIR FRESHENER ATTACHED  
TO CAP WITH SHRINK WRAP  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW




#3 - AIR FRESHENER ATTACHED  
TO CAP WITH SHRINK WRAP TOP VIEW




#2 - AIR FRESHENER ATTACHED  
TO DISPENSER WITH FRICTION FIT  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW




#1 - AIR FRESHENER ATTACHED  
TO CAP WITH FRICTION FIT  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW




#3 - AIR FRESHENER ATTACHED  
TO CAP WITH FRICTION FIT TOP VIEW



#2 - AIR FRESHENER ATTACHED  
TO DISPENSER WITH PINS  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW




#3 - AIR FRESHENER ATTACHED  
TO CAP WITH PINS  
TOP VIEW




1 - AIR FRESHENER ATTACHED  
TO CAP WITH PINS  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW



#2 - AIR FRESHENER ATTACHED  
TO DISPENSER USING A SLOT  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW




#1 - AIR FRESHENER ATTACHED  
TO CAP USING A SLOT  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW



#3 - AIR FRESHENER ATTACHED  
TO CAP USING A SLOT TOP VIEW

#2 - AIR FRESHENER ATTACHED  
TO DISPENSER WITH SNAPS  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW




AIR FRESHENER  
ATTACHED WITH  
SNAPS

DEODORANT CAP

DEODORANT  
DISPENSER

AIR FRESHENER  
ATTACHED WITH  
SNAPS

1 - AIR FRESHENER ATTACHED  
TO CAP WITH SNAPS  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW




AIR FRESHENER  
ATTACHED WITH  
SNAPS

DEODORANT CAP

DEODORANT  
CAP


SNAPS

#3 - AIR FRESHENER ATTACHED  
TO CAP WITH SNAPS  
TOP VIEW




AIR FRESHENER  
ATTACHED  
WITH SNAPS


#2 - AIR FRESHENER ATTACHED TO DISPENSER WITH ADHESIVE FRONT VIEW, BACK VIEW OR SIDE VIEW



#1 - AIR FRESHENER ATTACHED TO CAP WITH ADHESIVE FRONT VIEW, BACK VIEW OR SIDE VIEW




#3 - AIR FRESHENER ATTACHED TO CAP WITH ADHESIVE TOP VIEW






**Air Freshener Inside the Cap with Dispensing Holes or with a Cap made of Fragranced Polymer Beads**


CAVITY ON TOP OF THE CAP TO  
HOLD IN AIR FRESHENER




TOP VIEW OF CAP



DEODORANT  
CAP




DEODORANT  
DISPENSER




CAVITY AT THE BOTTOM OF CONTAINER  
TO HOLD IN AIR FRESHENER

DEODORANT  
DISPENSER

BOTTOM VIEW OF CAN




Air Freshener  
which fits in the  
bottom of Aerosol  
can indent



# ROLL-ON DEODORANT/ANTI-PERSPERANT SPRA WITH AIR FRESHENER (GYM BAG DEODORIZER)

Air Freshener Inside the Cap with Dispensing holes or with a cap made of Fragranced Polymer Beads





**ROLL-ON DEODORANT / ANTI-PERSPIRANT SPRAY WITH AIR FRESHENER (GYM BAG DEODORIZER)**

**- ATTACHED WITH SHRINK WRAP**

**#1- AIR FRESHENER ATTACHED  
TO CAP WITH SHRINK WRAP  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW**


**#2 - AIR FRESHENER ATTACHED  
TO DISPENSER WITH SHRINK WRAP  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW**

**#3 - AIR FRESHENER ATTACHED  
TO CAP WITH SHRINK WRAP BOTTOM VIEW**




**ROLL-ON DEODORANT / ANTI-PERSPIRANT SPRAY WITH AIR FRESHENER (GYM BAG DEODORIZER)- ATTACHED WITH ADHESIVE**


**#1 - AIR FRESHENER ATTACHED TO CAP WITH ADHESIVE  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW**



**#2 - AIR FRESHENER ATTACHED TO DISPENSER WITH ADHESIVE  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW**




**#3 - AIR FRESHENER ATTACHED TO CAP WITH ADHESIVE BOTTOM VIEW**




**ROLL-ON DEODORANT / ANTI-PERSPIRANT SPRAY WITH AIR FRESHENER (GYM BAG DEODORIZER)**  
**- ATTACHED MECHANICALLY WITH PINS**


**#1 - AIR FRESHENER ATTACHED  
 TO CAP WITH PINS  
 FRONT VIEW, BACK VIEW  
 OR SIDE VIEW**



**#2 - AIR FRESHENER ATTACHED  
 TO DISPENSER WITH PINS  
 FRONT VIEW, BACK VIEW  
 OR SIDE VIEW**




**#3 - AIR FRESHENER ATTACHED  
 TO CAP WITH PINS  
 BOTOM VIEW**




ROLL ON DEODORANT / AIR FRESHENER ATTACHED MECHANICALLY WITH SNAPS


#1 - AIR FRESHENER ATTACHED  
TO CAP WITH SNAPS  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW



#2 - AIR FRESHENER ATTACHED  
TO DISPENSER WITH SNAPS  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW




#3 - AIR FRESHENER ATTACHED  
TO CAP WITH SNAPS  
BOTTOM VIEW






ROLL-ON DEODORANT / ANTI-PERSPIRANT SPRAY WITH AIR FRESHENER (GYM BAG DEODORIZER)  
- ATTACHED MECHANICALLY BY HAVING THE AIR FRESHER SLIDE INTO A SLOT OF CAP OR DISPENSER


1 - AIR FRESHENER ATTACHED  
TO CAP USING A SLOT  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW




#2 - AIR FRESHENER ATTACHED  
TO DISPENSER USING A SLOT  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW



#3 - AIR FRESHENER ATTACHED  
TO CAP USING A SLOT BOTTOM VIEW




KULL-ON DEODORANT / AIR FRESHENER  
- ATTACHED MECHANICALLY BY SCREWING IT ON TO THE BOTTOM OF THE DISPENSER






- ATTACHED MECHANICALLY BY HAVING THE AIR FRESHENER


#1 - AIR FRESHENER ATTACHED  
TO CAP USING CLIPS  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW



#2 - AIR FRESHENER ATTACHED  
TO DISPENSER USING CLIPS  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW






#3 - AIR FRESHENER ATTACHED  
TO CAP USING CLIPS BOTTOM VIEW




ROLL-ON DEODORANT / AIR FRESHENER  
 - ATTACHED MECHANICALLY USING IN EITHER A DEPRESSION OR RAISED MOLDED AREA TO ALLOW FOR FRICTION FIT

- #1 - AIR FRESHENER ATTACHED TO CAP WITH FRICTION FIT  
FRONT VIEW, BACK VIEW OR SIDE VIEW
- #2 - AIR FRESHENER ATTACHED TO DISPENSER WITH FRICTION FIT  
FRONT VIEW, BACK VIEW OR SIDE VIEW
- #3 - AIR FRESHENER ATTACHED TO CAP WITH FRICTION FIT  
BOTTOM VIEW




ATTACHED MECHANICALLY BY HAVING THE AIR FRESHENER


AIR FRESHENER ATTACHED  
TO CAP USING ELASTIC  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW



#2 - AIR FRESHENER ATTACHED  
TO DISPENSER USING ELASTIC  
FRONT VIEW, BACK VIEW  
OR SIDE VIEW




#3 - AIR FRESHENER ATTACHED  
TO CAP USING ELASTIC BOTTOM VIEW




ATTACHED MECHANICALLY BY HAVING THE AIR FRESHER SLIDE INTO A SLOT AT THE FRONT, BACK, BOTTOM OR SIDE OF DISPENSING UNIT OR CAP

DISPENSING LID  
TOP VIEW




DISPENSING  
LID




WIPES  
HOLDER




AIR FRESHENER  
DISPENSER







ATTACHED MECHANICALLY BY HAVING THE AIR FRESHER CLIP ON  
TO THE FRONT, BACK, BOTTOM OR SIDE OF DISPENSING UNIT OR CAP



ATTACHED WITH SHRINK WRAP TO THE FRONT,  
BACK, BOTTOM OR SIDE OF DISPENSING UNIT OR CAP




USING FRICTION FIT






ATTACHED MECHANICALLY BY HAVING THE AIR FRESHER HELD ON  
WITH PINS TO THE FRONT, BACK, BOTTOM OR SIDE OF DISPENSING UNIT OR CAP






ATTACHED WITH ADHESIVE TO THE FRONT, BACK, BOTTOM OR SIDE OF DISPENSING UNIT OR CAP



- ATTACHED MECHANICALLY USING IN EITHER A DEPRESSION OR RAISED MOLDED AREA  
TO ALLOW FOR FRICTION FIT TO THE FRONT, BACK, BOTTOM OR SIDE OF DISPENSING UNIT OR CAP

DISPENSING LID  
TOP VIEW




DISPENSING  
LID



WIPES  
HOLDER


AIR FRESHENER  
DISPENSER



ATTACHED MECHANICALLY BY HAVING THE AIR FRESHER HELD ON  
WITH SNAPS TO THE FRONT, BACK, BOTTOM OR SIDE OF DISPENSING UNIT OR CAP

DISPENSING LID  
TOP VIEW

SNAPS




DISPENSING  
LID






WIPES  
HOLDER



AIR FRESHENER  
DISPENSER



ATTACHED MECHANICALLY BY HAVING THE AIR FRESHER HELD ON  
WITH AN ELASTIC TO THE FRONT, BACK, BOTTOM OR SIDE OF DISPENSING UNIT OR CAP



**LIQUID SOAP BOTTLE WITH HAND SANITIZER OR MOISTURIZING LOTION OF THE SAME  
FRAGRANCE IN A SPRAY, BOTTLE OR TUBE**



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER: \_\_\_\_\_**

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**